

PMMA Housing



With PMMA material housing and stainless steel end cap, our Triumph series light can provide better corrosion proof, waterprotection. With Bridgelux led and Osram driver used, the brightness reaches 150lm/w. The warranty is 5 years.



150LM/W

Bridgelux led and Osram driver reaches 150lm/w



IP69K



With IP69K waterproof protection and PMMA housing, our Triumph series light can be used for applications of high humidity, high vapor, food factory, etc, where normal waterproof lights are not qualified.


Easy Installation





Features


Housing: PMMA
 Thermal Conductivity: 226 W/m·K
 Led: Bridgelux
 CRI: Ra>80
 SDCM: <6
 Power Factor: >0.90
 THD: <15
 Driver: Osram
 Driver Efficiency: >90%
 Protection: OTP, OCP, OVP, SCP
 Surge Protection: 2KV
 Waterproof: IP69K
 Impact Test: IK08
 Electrical: 220-240V, 50/60Hz
 Operating Temperature: -20~45C°
 TM21: L80B10>50,000H
 Lifetime: 50,000H



Additional addons that can be ordered

ZigBee • PWM • DALI • 0/1~10V • Micro-wave

Optical options:



Model	Watt	Voltage	Lumen	CRI	IP	Dimension
TP020TE2H-BL	20W	220~240V	3000LM	>80	IP69K	L600*D81MM
TP040TE4H-BL	40W	220~240V	6000LM	>80	IP69K	L1200*D81MM
TP060TE5H-BL	60W	220~240V	9000LM	>80	IP69K	L1500*D81MM